



2024-2025

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury

NELUX ARCHITECTURAL LIGHTING - ARCHITECTURAL GARDEN LIGHTING 2024-2025



GARDEN LIGHTING

Lawns Spike lights

ARCHITECTURAL GARDEN LIGHTING

nelux

Producing your dreams



nelux

PRODUCING YOUR DREAMS

Do you need Bespoke Lighting?
¿Necesita productos a medida?

NELUX BESPOKE LIGHT
NELUX PRODUCTOS A MEDIDA

SMART

MODERN

FORM

+

LONG

LIFESPAN

+

LIGHTING

SOLUTIONS

ABOUT US

14 years ago a group of us bonded together with the bright idea to bring unique design and top quality led lighting system to market. All for architectural and commercial lighting products reflect the core of modularity, convenience and affordability.

Nelux a tech-style luminaire firm that focuses on innovation. These innovation based on our deep cooperation with lighting designers, we know what you need, we know how to bring a better lighting in your space.

Working with us comes with some awesome perks

INNOVATIVE TECHNOLOGY:

With years deep communication with designers, We continuously strive to bring the latest lighting components and technological innovations to LED lighting products

COMPREHENSIVE DATASHEET SUPPORT:

In Nelux, we always think about how to help our customers finish their work, see what we can do for you, Lighting design, IES Files, High resolution photos, You just sent us DWG file, we will work for you with a experience team

CUSTOMIZATION:

With a wide variety of marketing content from catalogue choose, if customers still need a special or unique design for lighting, our global sales team will work with you to user in a customization lighting solution for your customers.

GARDEN LIGHT



.....
NELUX ALREADY FINISHED
MORE THAN 700 PROJECTS
WELCOME TO CONTACT US
FOR LIGHTING DESIGNS

Nelux Architectural Garden Lighting

INNOVATIVE TECHNOLOGY FOR ARCHITECTURAL LIGHTING

01




NW-0205/400

LED Chip	Bridgelux
CRI	>80
Watts	5W
Voltage	110-220V
Color Temperature	3000K/4000K/6000K
Material	Aluminum
Color	WHT/BLK/Grey
Waterproof Rate	IP54
Size (MM)	L220 W90 H400
Beam Angel	120°




NW-0205/300

LED Chip	Bridgelux
CRI	>80
Watts	5W
Voltage	110-220V
Color Temperature	3000K/4000K/6000K
Material	Aluminum
Color	WHT/BLK/Grey
Waterproof Rate	IP54
Size (MM)	L220 W90 H300
Beam Angel	120°



Dimensions





Optical quality and manufacturing quality combine in high-level products: from scrupulous control of metal alloys and processing, to the selection of materials not subject to deterioration, to the use of the latest generation thermal interfaces, reliable, highperformance LEDs and optical trains of utmost optical quality: the technological mastery allows NELUX Architectural lighting to distribute products of the highest quality level.




Dimensions



NL-0106-600

LED Chip	Sanan
CRI	>90
Watts	6W
Voltage	110-220V
Color Temperature	3000K/4000K/6000K
Material	Aluminum+Acrylic
Color	WHT/BLK
Waterproof Rate	IP54
Size (MM)	L150 W95 H600
Beam Angel	120°




NL-0106-800

LED Chip	Sanan
CRI	>90
Watts	6W
Voltage	110-220V
Color Temperature	3000K/4000K/6000K
Material	Aluminum+Acrylic
Color	WHT/BLK
Waterproof Rate	IP54
Size (MM)	L150 W95 H800
Beam Angel	120°






Dimensions



NL-0206-600





NL-0206-800

NL0206

LED Chip	Sanan
CRI	>90
Watts	22W
Voltage	110-220V
Color Temperature	3000K/4000K/6000K
Material	Aluminum
Color	WHT/BLK+Grey
Waterproof Rate	IP54
Beam Angel	180°



04
IP65




|| NS-0207

LED Chip	CREE
CRI	>90
Watts	7W
Voltage	110-220V
Color Temperature	3000K/4000K
Material	Aluminum
Color	WHT/BLK/Grey
Waterproof Rate	IP65
Beam Angel	70°



05

IP65




NS-0208

LED Chip	CREE
CRI	>90
Watts	7W
Voltage	110-220V
Color Temperature	3000K/4000K
Material	Aluminum
Color	WHT/BLK/Grey
Waterproof Rate	IP65
Beam Angel	24°





Dimensions




Item No.	Lamp	Watts	K	CRI	Lumens	IP	Material	Input
NS-0210	LED	12W	3000K	90+	880lm	54	Aluminum	AC220~240V/DC12~24V



07



Dimensions




NS-0209/600 /800 /1000	
LED Chip	Sanan
CRI	>90
Watts	6W /10W /12W
Voltage	AC110~240V/DC12
Color Temperature	3000K/4000K
Material	Aluminum
Color	WHT /BLK /GREY
Waterproof Rate	IP54
Beam Angel	120°







Dimensions



Item No.	Lamp	Watts	K	CRI	Lumens	IP	Input
NS-0219	LED	3W	3000K	90+	195lm	65	DC24V



Dimensions



NS-0212/300 /600


LED Chip	Brigelux
CRI	>90
Watts	7W
Voltage	110-240V
Color Temperature	3000K/4000K
Material	Aluminum
Color	White/Black/Grey
Waterproof Rate	IP65
Beam Angel	120°



10



Dimensions




NS-0211/300 /500

LED Chip	Sanna
CRI	>90
Watts	12W
Voltage	110-240V
Color Temperature	3000K/4000K
Material	Aluminum
Color	White/Black/Grey
Waterproof Rate	IP65






Dimensions



Item No.	Lamp	Watts	K	CRI	Lumens	IP	Input
NS-0218-300	LED	7W	3000K	90+	230lm	65	AC220~240V
NS-0218-600	LED	7W	3000K	90+	230lm	65	AC220~240V



Dimensions



NS-S081-600/800

LED Chip	Sanna
CRI	>90
Watts	10W
Voltage	110-240V
Color Temperature	3000K/4000K
Material	Aluminum
Color	White/Black/Grey
Waterproof Rate	IP65



GARDEN LIGHTING | LAWNS SPIKE LIGHT

THANK YOU

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury